

SECTION C:

DPL: 5-15-20025 DATED: 20 JAN 00 END ITEM: Chemical Agent MonitorSN: 6665-01-465-6146 PART: 5-15-20025OMEN: Sieve Fill Kit Assembly PRON(s): C10AAJ03

he following engineering exceptions apply to this TDPL, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

. Unless otherwise specified, the issues of the specifications and standard which are DOD adopted shall be those listed in the issue of the DODISS which is dated (20 JAN 00) with no supplements. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the on-government specifications and standards which is current on (20 JAN 00).

. On the TDPL, make the following changes:

a. Delete drawings:

442-021	442-149	442-301	QAP 442-313
442-366	442-641	5-15-17013	

b. Replace the following drawings:

From:

To:

-15-20024	Init Rel	N/A	5-15-20024	Orig	1/10/00
-15-20025	Init Rel	N/A	5-15-20025	Orig	11/30/99
AP 5-15-20025	Init Rel	N/A	QAP 5-15-20025	Orig	11/03/99
5-15-20025	Init Rel	N/A	P5-15-20025	Orig	10/27/99

c. Delete the following Specifications and Standards:

IL-E-51454	PPP-C-2020	16-CFR-1500	27-CFR-211
7-CFR-212	29-CFR-1910	49-CFR-171-199	NN-P-71
PP-B-585	PPP-B-621	PPP-C-186	PPP-C-1337
PP-C-96	PPP-D-729	PPP-P-704	TT-E-485
T-W-572	FED-STD-101	FED-STD-123	FED-STD-209
ED-STD-313	MIL-STD-147	MIL-STD-2000	ASTM D1209
STM D1193	ASTM D1363	ASTM D1613	ASTM D3953
STM D4649	ASTM D891	L-P-378	

AME (POC): Dennis Morrow OFFICE: AMSSB-RSO-MAD (RI)PHONE: DSN 793-7154 MYLARS REQUIRED: NDATE: 1 Jun 00ESUBMITTAL: N RATIONALE:

SECTION C:

DPL: 5-15-20025 DATED: 20 JAN 00 END ITEM: Chemical Agent Monitor
SN: 6665-01-465-6146 PART: 5-15-20025
OMEN: Sieve Fill Kit Assembly PRON(s): C10AAJ03

he following engineering exceptions apply to this TDPL, and shall be incorporated into solicitations/contracts for the above listed PRON(s) (cont.):

d. Add the following Specifications and Standards:

STM D5486 ANSI/ASME B18.6.7

e. Delete the following NORs:

42-021	Z16-1485-003
-15-17013	Z47-0241-001
-15-20024	Z16-1481-011
5-15-20025	Z14-1481-029
AP 5-15-20025	Z16-1481-028

. Add the following NORs:

-15-20024	Z16-1494-0011
-15-20025	Z16-1494-0013

. On Drawing 5-15-20025, add new note:

"May be processed in accordance with advisory PD EA-C-1798. See workstations, sieve and charcoal handling, and general storage."

. On QAP 5-15-20025:

a. Under Part II, para. 3.a., under Government-loaned property:

Add: "or Chemical Agent Monitor, NSN 6665-01-199-4153 and associated manuals."

AME (POC): Dennis Morrow OFFICE: AMSSB-RSO-MAD (RI)

PHONE: DSN 793-7154 MYLARS REQUIRED: N

ESUBMITTAL: N RATIONALE:

DATE: 1 Jun 00

SECTION C:

DPL: 5-15-20025 DATED: 20 JAN 00 END ITEM: Chemical Agent Monitor
SN: 6665-01-465-6146 PART: 5-15-20025
OMEN: Sieve Fill Kit Assembly PRON(s): C10AAJ03

he following engineering exceptions apply to this TDPL, and shall be
ncorporated into solicitations/contracts for the above listed PRON(s) (cont.):

b. Under Part III, (b) Gasket, sieve (Drawing 5-15-20024):

Replace with the following:

ritical None defined

ajor

01	Diameter 25mm	Table I, Level VII	CE
02	True position of 1.5mm holes (6 places)	Table I, Level VII	CE
03	Dimension 23.1mm (2 places)	Table I, Level VII	CE
04	Dimension 22.5mm	Table I, Level VII	CE
05	Dimension 17.45mm	Table I, Level VII	CE

. On SPI P5-15-20025:

Add NSN 6665-01-465-6146 to sheet 1 of 4.

. On EA-C-1798, Rev A, Am 1:

On Table 1, add:

Under Viton rubber (et. al.): 5-15-20024

. Government Furnished Equipment for outgas testing:

Chemical Agent Monitor (6665-01-199-4153) and associated TM
(TM 3-6665-331-10) or Improved Chemical Agent Monitor (6665-01-357-8502)
and associated TM (TM 3-6665-343-10).

. OZONE DEPLETING CHEMICALS: see Statement of Work - Ozone Depleting
Chemicals (attached)

AME (POC): Dennis Morrow OFFICE: AMSSB-RSO-MAD (RI)

PHONE: DSN 793-7154 MYLARS REQUIRED: N

ESUBMITTAL: N RATIONALE:

DATE: 1 Jun 00

SECTION C:

DPL: 5-15-20025 DATED: 20 JAN 00 END ITEM: Chemical Agent Monitor
SN: 6665-01-465-6146 PART: 5-15-20025
OMEN: Sieve Fill Kit Assembly PRON(s): C10AAJ03

he following engineering exceptions apply to this TDPL, and shall be incorporated into solicitations/contracts for the above listed PRON(s) (cont.):

. The following warning statement applies to all drawings, parts lists listed in TDPL 5-15-20025:

Warning - This TDP contains technical data whose export is restricted by the Arms Export Control Act (Title 22, U.S.C. sec 2751, et seq.) or the Export Administration Act of 1979, as amended, Title 50, U.S.C., App 2401 et seq. Violation of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DOD Directive 5230.25.

NOTICE TO ACCOMPANY THE DISSEMINATION OF EXPORT-CONTROLLED TECHNICAL DATA

. Export of information contained herein, which includes, in some circumstances, release to foreign nationals within the United States, without first obtaining approval or license from the Department of State for items controlled by the International Traffic in Arms Regulation (ITAR), or the Department of Commerce for items controlled by the Export Administration Regulations (EAR), may constitute a violation of law.

. Under 22 U.S.C. 2778 the penalty for unlawful export of items or information controlled under the EAR is up to 2 years imprisonment, or a fine of \$100,000, or both. Under 50 U.S.C., Appendix 2401, the penalty for unlawful export of items or information controlled under the EAR is a fine of up to 1,000,000, or five times the value of the exports, whichever is greater; or for an individual, imprisonment of up to 10 years, or a fine of up to \$250,000, or both.

. In accordance with your certification that establishes you as a "certified US contractor, unauthorized dissemination of this information is prohibited and may result in disqualification as a certified US contractor, and may be considered in determining your eligibility for future contracts with the Department of Defense.

. The US Government assumes no liability for direct patent infringement, or contributory patent infringement or misuse of technical data.

. The US Government does not warrant the adequacy, accuracy, currency, or completeness of the technical data.

. The US Government assumes no liability for loss, damage, or injury resulting from manufacture or use for any purpose of any product, article, system, or material involving reliance upon any or all technical data furnished in response to the request for technical data.

. If the technical data furnished by the Government will be used for commercial manufacturing or other profit potential, a license for such use may be necessary. Any payments made in support of the request for data do not include or involve any license rights.

. A copy of this notice shall be provided with any partial or complete reproduction of these data that are provided to qualified US contractors.

AME (POC): Dennis Morrow OFFICE: AMSSB-RSO-MAD (RI)

PHONE: DSN 793-7154 MYLARS REQUIRED: N

DATE: 1 Jun 00

ESUBMITTAL: N RATIONALE:

DOCUMENT SUMMARY LIST

Item: SIEVE FILL KIT ASSEMBLY
NSN: 6665-01-465-6146
Control Number/PRON: C10AAJ03

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."

(5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2

2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
---	--	-----------

3a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment OR	30 Aug 94
ISO 10012-1 (ES7010)	Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
3b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1

ITEM: SIEVE FILL KIT
 NSN: 6665-01-4485-6146
 P/N: 5-15-20025
 CLIN 0003

ORDERING PERIOD	QUANTITY ORDER RANGE	UNIT PRICE	
	<u>Est Qty: 4093</u>		
1	500 - 3000	\$	FIRST ARTICLE \$
	3001 - 5000	\$	
	5001 and over	\$	
	<u>Est Qty: 2607</u>		
2	500 - 3000	\$	
	3001 - 5000	\$	
	5001 and over	\$	
	<u>Est Qty: 0</u>		
3	500 - 3000	\$	
	3001 - 5000	\$	
	5001 and over	\$	
	<u>Est Qty: 2607</u>		
4	500 - 3000	\$	
	3001 - 5000	\$	
	5001 and over	\$	
	<u>Est Qty: 4635</u>		
5	500 - 3000	\$	
	3001 - 5000	\$	
	5001 and over	\$	

WITH FAT

ORDERING PERIOD	QUANTITY ORDER RANGE	UNIT PRICE	X WEIGHT	= WEIGHTED UNIT PRICE	X QUANTIT MULTIPLIE	= WEIGHTED PRICE	= TOTAL WEIGHTED PRICE
1 FAT \$	1000 - 3000	<input type="text"/>	0.60	\$ -	1,000	\$ -	
	3001 - 5000	<input type="text"/>	0.20	\$ -	3,001	\$ -	
	5001 and over	<input type="text"/>	0.20	\$ -	5,001	\$ -	\$ -
2	1000 - 3000	<input type="text"/>	0.60	\$ -	1,000	\$ -	
	3001 - 5000	<input type="text"/>	0.20	\$ -	3,001	\$ -	
	5001 and over	<input type="text"/>	0.20	\$ -	5,001	\$ -	\$ -
3	1000 - 3000	<input type="text"/>	0.60	\$ -	1,000	\$ -	
	3001 - 5000	<input type="text"/>	0.20	\$ -	3,001	\$ -	
	5001 and over	<input type="text"/>	0.20	\$ -	5,001	\$ -	\$ -
4	1000 - 3000	<input type="text"/>	0.60	\$ -	1,000	\$ -	
	3001 - 5000	<input type="text"/>	0.20	\$ -	3,001	\$ -	
	5001 and over	<input type="text"/>	0.20	\$ -	5,001	\$ -	\$ -
5	1000 - 3000	<input type="text"/>	0.60	\$ -	1,000	\$ -	
	3001 - 5000	<input type="text"/>	0.20	\$ -	3,001	\$ -	
	5001 and over	<input type="text"/>	0.20	\$ -	5,001	\$ -	\$ -
TOAL PRICE FAT							\$ -
TOTAL WEIGHTED PRICE							\$ -

SECTION C:

TDPL: 442-377 DATED: 18 JAN 00 END ITEM: Chemical Agent MonitorNSN: 6665-01-381-5085 PART: 442-377NOMEN: Seal, Nonmetallic PRON(s): C10AAJ04

The following engineering exceptions apply to this TDPL, and shall be incorporated into solicitations/contracts for the above listed PRON(s):

1. Unless otherwise specified, the issues of the specifications and standards which are DOD adopted shall be those listed in the issue of the DODISS which is dated (18 JAN 00) with no supplements. Unless otherwise specified, the issues of specifications and standards not listed in the DODISS shall be the issue of the nongovernment specifications and standards which is current on (18 JAN 00).
2. On the TDPL, make the following changes:

No exceptions.
3. On SPI P442-377:

Change NSN from: 5330-01-381-5085 to: 6665-01-381-5085
4. Government Furnished Equipment for outgas testing:

Chemical Agent Monitor (442-301) and associated TMs (TM 3-6665-331-10 and TM 3-6665-331-23&P).
5. OZONE DEPLETING CHEMICALS: see Statement of Work - Ozone Depleting Chemicals (attached)

NAME (POC): Dennis Morrow OFFICE: AMSSB-RSO-MAD (RI)PHONE: DSN 793-7154 MYLARS REQUIRED: NRESUBMITTAL: N RATIONALE:DATE: 25 Jan 00

TDPL: 442-377 DATED: 18 JAN 00 END ITEM: Chemical Agent Monitor

NSN: 6665-01-381-5085 PART: 442-377

NOMEN: Seal, Nonmetallic PRON(s): C10AAJ04

The following engineering exceptions apply to this TDPL, and shall be incorporated into solicitations/contracts for the above listed PRON(s) (cont.):

6. The following warning statement applies to all drawings, parts lists listed on TDPL 442-377:

Warning - This TDP contains technical data whose export is restricted by the Arms Export Control Act (Title 22, U.S.C. sec 2751, et seq.) or the Export Administration Act of 1979, as amended, Title 50, U.S.C., App 2401 et seq. Violation of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DOD Directive 5230.25.

NOTICE TO ACCOMPANY THE DISSEMINATION OF EXPORT-CONTROLLED TECHNICAL DATA

1. Export of information contained herein, which includes, in some circumstances, release to foreign nationals within the United States, without first obtaining approval or license from the Department of State for items controlled by the International Traffic in Arms Regulation (ITAR), or the Department of Commerce for items controlled by the Export Administration Regulations (EAR), may constitute a violation of law.

2. Under 22 U.S.C. 2778 the penalty for unlawful export of items or information controlled under the ITAR is up to 2 years imprisonment, or a fine of \$100,000, or both. Under 50 U.S.C., Appendix 2401, the penalty for unlawful export of items or information controlled under the EAR is a fine of up to \$1,000,000, or five times the value of the exports, whichever is greater; or for an individual, imprisonment of up to 10 years, or a fine of up to \$250,000, or both.

3. In accordance with your certification that establishes you as a "certified US contractor, unauthorized dissemination of this information is prohibited and may result in disqualification as a certified US contractor, and may be considered in determining your eligibility for future contracts with the Department of Defense.

4. The US Government assumes no liability for direct patent infringement, or contributory patent infringement or misuse of technical data.

5. The US Government does not warrant the adequacy, accuracy, currency, or completeness of the technical data.

6. The US Government assumes no liability for loss, damage, or injury resulting from manufacture or use for any purpose of any product, article, system, or material involving reliance upon any or all technical data furnished in response to the request for technical data.

7. If the technical data furnished by the Government will be used for commercial manufacturing or other profit potential, a license for such use may be necessary. Any payments made in support of the request for data do not include or involve any license rights.

8. A copy of this notice shall be provided with any partial or complete reproduction of these data that are provided to qualified US contractors.

NAME (POC): Dennis Morrow OFFICE: AMSSB-RSO-MAD (RI)

PHONE: DSN 793-7154 MYLARS REQUIRED: N

RESUBMITTAL: N RATIONALE: DATE: 4 May 00

DOCUMENT SUMMARY LIST

Item: SEAL, PUMP MANIFOLD
NSN: 6665-01-381-5085
Control Number/PRON: C10AAJ04

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

- (1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.
- (2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".
- (3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."
- (4) Para 5.4.3.5.1. Minor deviations.
Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."

(5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2

2a. NCSL Z540-1 (ES7010)	General Requirements for Calibration Laboratories and Measuring and Test Equipment OR	30 Aug 94
ISO 10012-1 (ES7010)	Quality Assurance Requirements for Measuring Equipment, Part 1: Metrological Confirmation System	1992
2b. DI-QCIC-81006 (DD Form 1423)	Special Inspection Equipment Descriptive Documentation	11 Sep 89 Cat 1

ITEM: SEAL, PUMP MANIFOLD
NSN: 6665-01-381-5085
P/N: 442-377
CLIN 0004

ORDERING PERIOD	QUANTITY ORDER RANGE	UNIT PRICE
	<u>Est Qty: 1384</u>	
1	500 -1200	\$ FIRST ARTICLE \$
	1201 - 2000	\$
	2001 and over	\$
	<u>Est Qty: 0</u>	
2	500 -1200	\$
	1201 - 2000	\$
	2001 and over	\$
	<u>Est Qty: 1805</u>	
3	500 -1200	\$
	1201 - 2000	\$
	2001 and over	\$
	<u>Est Qty: 0</u>	
4	500 -1200	\$
	1201 - 2000	\$
	2001 and over	\$
	<u>Est Qty: 2031</u>	
5	500 -1200	\$
	1201 - 2000	\$
	2001 and over	\$

WITH FAT

ORDERING PERIOD	QUANTITY ORDER RANGE	UNIT PRICE	X WEIGHT	= WEIGHTED UNIT PRICE	X QUANTITY MULTIPLIER	= WEIGHTED PRICE	= TOTAL WEIGHTED PRICE
1 FAT \$	500 - 1200	<input type="text"/>	0.20	\$ -	500	\$ -	
	1201 - 2000	<input type="text"/>	0.60	\$ -	1,201	\$ -	
	2001 and over	<input type="text"/>	0.20	\$ -	2,001	\$ -	\$ -
2	500 - 1200	<input type="text"/>	0.20	\$ -	500	\$ -	
	1201 - 2000	<input type="text"/>	0.60	\$ -	1,201	\$ -	
	2001 and over	<input type="text"/>	0.20	\$ -	2,001	\$ -	\$ -
3	500 - 1200	<input type="text"/>	0.20	\$ -	500	\$ -	
	1201 - 2000	<input type="text"/>	0.60	\$ -	1,201	\$ -	
	2001 and over	<input type="text"/>	0.20	\$ -	2,001	\$ -	\$ -
4	500 - 1200	<input type="text"/>	0.20	\$ -	500	\$ -	
	1201 - 2000	<input type="text"/>	0.60	\$ -	1,201	\$ -	
	2001 and over	<input type="text"/>	0.20	\$ -	2,001	\$ -	\$ -
5	500 - 1200	<input type="text"/>	0.20	\$ -	500	\$ -	
	1201 - 2000	<input type="text"/>	0.60	\$ -	1,201	\$ -	
	2001 and over	<input type="text"/>	0.20	\$ -	2,001	\$ -	\$ -
							\$ -
							TOTAL PRICE \$ -
							FAT \$ -
							TOTAL WEIGHTED PRICE \$ -